

\*\*\*\*\*

\* CG\_Burden\_Carerqol.

\* Last updated: 22 november 2012.

\* SPSS syntax for sum scores CARERQOL.

\* NOTE: if any items are missing the sum score will produce code 9999 'unknown'.

\* Labels: fulfillment and support: 0=No(ne), 1=Some, 2=A lot of / others: 0=A lot of, 1=Some, 2=No(ne).

\* Source: iMTA Valuation of Informal Care Questionnaire v1.0, Hoefman, Van Exel, Brouwer .

\*\*\*\*\*

COMPUTE T0CG\_CQ\_CAREr = T0CG\_CQ\_CARE.

COMPUTE T0CG\_CQ\_SUPr = T0CG\_CQ\_SUP.

COMPUTE T0CG\_CQ\_RELr = T0CG\_CQ\_REL.

COMPUTE T0CG\_CQ\_MHr = T0CG\_CQ\_MH.

COMPUTE T0CG\_CQ\_DAr = T0CG\_CQ\_DA.

COMPUTE T0CG\_CQ\_FINr = T0CG\_CQ\_FIN.

COMPUTE T0CG\_CQ\_PHR = T0CG\_CQ\_PH.

EXECUTE.

RECODE T0CG\_CQ\_CAREr T0CG\_CQ\_SUPr (3=2) (2=1) (1=0).

RECODE T0CG\_CQ\_RELr T0CG\_CQ\_MHr T0CG\_CQ\_DAr T0CG\_CQ\_FINr T0CG\_CQ\_PHR (3=0) (2=1) (1=2).

EXECUTE.

\*\*\* assign tarieven \*\*\*.

COMPUTE u1=9999.

IF (T0CG\_CQ\_CAREr=0) u1 = 0.

IF (T0CG\_CQ\_CAREr=1) u1 = 15.0.

IF (T0CG\_CQ\_CAREr=2) u1 = 19.6.

COMPUTE u2=9999.

IF (TOCG\_CQ\_RELr=2) u2 = 13.5.

IF (TOCG\_CQ\_RELr=1) u2 = 10.6.

IF (TOCG\_CQ\_RELr=0) u2 = 0.

COMPUTE u3=9999.

IF (TOCG\_CQ\_MHr=2) u3 = 13.5.

IF (TOCG\_CQ\_MHr=1) u3 = 10.4.

IF (TOCG\_CQ\_MHr=0) u3 = 0.

COMPUTE u4=9999.

IF (TOCG\_CQ\_DAr=2) u4 = 10.2.

IF (TOCG\_CQ\_DAr=1) u4 = 6.1.

IF (TOCG\_CQ\_DAr=0) u4 = 0.

COMPUTE u5=9999.

IF (TOCG\_CQ\_FINr=2) u5 = 15.1.

IF (TOCG\_CQ\_FINr=1) u5 = 11.7.

IF (TOCG\_CQ\_FINr=0) u5 = 0.

COMPUTE u6=9999.

IF (TOCG\_CQ\_SUPr=0) u6 = 0.

IF (TOCG\_CQ\_SUPr=1) u6 = 4.2.

IF (TOCG\_CQ\_SUPr=2) u6 = 6.5.

COMPUTE u7=9999.

IF (TOCG\_CQ\_PHr=2) u7 = 15.

IF (TOCG\_CQ\_PHr=1) u7 = 15.6.

IF (TOCG\_CQ\_PHr=0) u7 = 0.

COMPUTE i1=0.

IF (TOCG\_CQ\_MHr=2 AND TOCG\_CQ\_PHr=2) i1=6.6.

COMPUTE TO\_CarerQoI\_sum=u1+u2+u3+u4+u5+u6+u7+i1.

EXECUTE.

\*\*\* define incomplete sumscore and code as 9999\*\*\*.

IF (T0\_CarerQol\_sum GT 100) T0\_CarerQol\_sum = 9999.

MISSING VALUES T0\_CarerQol\_sum (9999).

FORMATS T0\_CarerQol\_sum (F8.0).

EXECUTE.

VARIABLE LABELS T0\_CarerQol\_sum 'Somscore Tarief CarerQOL care giver baseline'.

EXECUTE.

\*DELETE VARIABLES u1, u2, u3, u4, u5, u6, u7, i1, TOCG\_CQ\_CAREr, TOCG\_CQ\_SUPr, TOCG\_CQ\_RELr,  
TOCG\_CQ\_MHr, TOCG\_CQ\_DAr, TOCG\_CQ\_FINr, TOCG\_CQ\_PHR.

EXECUTE.